

Candia®

Fascino Italiano

Magazine 2025

For professionals





ΙΣΤΟΡΙΑ ΤΗΣ ΜΑΡΚΑΣ CANDIA

Η Candia γεννήθηκε κοντά στο βιομηχανικό κέντρο Finale Emilia (Modena), που ιδρύθηκε το 1973 από τον Giorgio Mussini. Εταιρία που ειδικεύεται στην παραγωγή υαλωμένων πλακιδίων για δάπεδα και τοίχους, τα προϊόντα κατασκευάζονταν με τον κύκλο επεξεργασίας διπλού ψησίματος, με φούρνο σήραγγας Porporri που επέτρεπε την παραγωγή 2000/m²/ημέρα.

Ήταν μια εταιρεία προσανατολισμένη στην έρευνα και ανάπτυξη εξελιγμένων διακοσμητικών εφέ. Κατά τη διάρκεια της δεκαετίας του 1960, η Candia εισήγαγε ένα τμήμα αφιερωμένο στη δημιουργία επίπεδων οθονών, προκειμένου να γίνει αυτόνομο από άποψη σχεδιασμού και αισθητικής έρευνας. Ήταν τη δεκαετία του εβδομήντα όταν η Candia αποφάσισε να ειδικευτεί στην επιχείρηση επισμάλτου χρησιμοποιώντας στηρίγματα μπισκότων που παρέχονται από τις εταιρείες Universal ή I.R.I.S. Κεραμικά (Semigres) και γραμμές αφιερωμένες στη διακόσμηση, για να ολοκληρωθεί στη συνέχεια ο κύκλος παραγωγής με το δεύτερο ψήσιμο και τέλος η επιλογή. Chef, Splato, Unisystem, Caldegocce, Musicanova, Folklore είναι οι συλλογές που παρουσιάστηκαν το 1989 από τον Όμιλο Candia Ceramica. Κατά τη διάρκεια της τελευταίας δεκαετίας του ογδόντα, με τη συνεργασία των Original Designers&R5, η εταιρεία επιβεβαιώθηκε ξανά τόσο στην Ιταλία όσο και σε διάφορες ξένες χώρες, συμπεριλαμβανομένης της Ιαπωνίας, όπου συνήψε συνεργασία με τον όμιλο Inax.

Το 2004 η παραγωγή σταμάτησε και το εργοστάσιο πουλήθηκε στην εταιρεία Mo.MA, το σήμα «Candia» διατηρήθηκε και πουλήθηκε στην Pastorelli S.p.A.

Το 2012 αγοράστηκε από τον όμιλο ABM.



Candia Industry

Member of ABM Group

Via Bosco 26, 42019 Scandiano (RE), Italy

ABM products offer bundled competence in the area of ceramic tiles and for all types of applications. Combining functionality, maximum quality and first-class design within the framework of individual demands is the challenge we continually and successfully rise to meet in developing new products. It's worth noticing that all products are manufactured so that they meet the International European models **ISO9001** and **EN1441: 2006** and all certifications granted, can confirm this.

Κεντρικά γραφεία Ελλάδος

Μέλος του ABM GROUP

Κεντρικές αποθήκες και έκθεση



Candia[®]


Fascino Italiano

The Candia brands synthesize and combine a consolidated tradition in the sale of ceramic products; the research, the style and design proposed, together with the expertise developed over the years, allow to satisfy the most varied housing requirements.

The creativity and continuous renewal of designs for both domestic and high traffic areas fully meet the needs of modern design in line with contemporary trends.

The exclusivity and completeness of the proposals enable to create innovative and unique environments.





Care Services

The continuous customer after sales support is extremely important for our company. For this reason, a technical department has been set up to provide constant solutions and support.

Please visit <https://candiaceramica.it/candia-care/> should you have any problem. Our well trained and experienced technicians will get back to you as soon as possible.

OEM Projects

SIMPLY THE BEST

Now with ABM, we create & produce the products that you wish.

- At competitive prices
- Absolute repetitive of your design
- Production quantity as your request

Not to mention, all guaranteed with quality and delivery time by the ABM group.

Our OEM department is ready to support, with the following steps:

Receive your request

Analyze the technical specifications

Check the production schedule

Quote the project

Inform you for all necessary steps

For more info, you might visit <https://candiaceramica.it/oem-project/>



Product Technical Features


We take pride in our extensive production capabilities that allow us to cater to a wide range of project requirements. With our state-of-the-art facilities and a highly skilled team, we can fulfill your unique design needs and deliver exceptional products for any project.

Concrete Look

with delicate warm and cold shades



timeless beauty of Marble Look



Tailor Made

personalization to any possible project



Size options

320x160, 120x278,
160x160, 120x278,
120x120, 100x100,
80x160, 60x120, 60x60,
30x90, 30x60, 20x120



Various application

Home, office, building,
external cladding,
commercial public,
hospitality, tailor made,
and much more

Stone Look finest,
rarest stones live
again, with greater
clarity and
sustainability than
the originals



Mix & Match

Blend it with multi-
material and create both
aesthetic and technical.



Technical features

Water absorption 0,5 glazed
porcelain tiles
Anti slip resistant R9-R11
Anti stain
Frost resistance
Resistance to household
chemicals

Technical Features:

Our products are strictly follow exclusive technologies, high standards and reliability. These make us are well trusted by our most valuable customers. Product features include:


Full body rectified, technical glazed porcelain, lowest maintenance efforts, antibacterial surfaces, liquid repellent & water resistant, impact resistant, heat resistant, frost resistant, scratch resistant and abrasion resistant, chemical & stain resistant, fire resistant and resistant to bending.

	ASSORBIMENTO % D'ACQUA Water absorption %		RESISTENZA AGLI SBALZI TERMICI Thermal shock resistance
	RESISTENZA ALLA FLESSIONE Breaking strenght		RESISTENZA ALL'ABRASIONE PROFONDA Resistance to deep abrasion
	RESISTENZA AL GELO Frost resistance		RESISTENZA ALL'ABRASIONE Abrasion resistance
	RESISTENZA ALL'ATTACCO CHIMICO Chemical resistance		RESISTENZA ALLE MACCHIE Stain resistance
	DUREZZA MOHS Mohs hardness		COEFFICIENTE ATTRITO DINAMICO Measurement of dynamic friction coefficient
	RESISTENZA ALLO SCIVOLAMENTO Slip resistance (coefficient of friction)		

Size Flexibility:

We offer a diverse range of sizes to accommodate various design preferences. From larger formats measuring 320×160 to more compact options at 30×60, our production capabilities ensure that we can meet your specific size requirements. Whether you’re working on a grand architectural project or a smaller-scale design, we have the expertise to provide tiles that perfectly fit your vision.

Sizes include:
Floor glazed porcelain in dimension of 30×60, 60×60, 60×120, 20×120, 80×160, 100×100, 120×120, 120×278, 160×160, 160×320 as well as wall 30×90 rectified white body.




Surface Variety:


We understand the importance of surface finishes in enhancing the overall aesthetic appeal of your space. That’s why we offer a wide range of surface treatments to choose from, ensuring that your tiles are not only visually striking but also meet your functional needs. Our surface options include:

Mat / Glossy, Carving, Digital Printing, Diamond Glass, Dark / White Color Body, Cool Beige, Lignin Black, Soft Peach, Rhino Grey, Reed Green, Silver Spring, Steel Grey, Golden Brown, Ocean Blue, Moss Green, Bottled Olive, and Dark Cobalt Blue.


Applications:




**TOPS &
KITCHEN**




**FLOORS
WALLS & STAIRS**



**TOPS &
BATHROOMS**



BACKLIGHT






**INTERIOR
& DESIGN**




**SHELVES
& CONSOLE**

INDICE / INDEX

Collezione/ Collection

	Pentelikon Marble	17
	Carrara Marble	21
	Calacatta Viola Marble	27
	Naxos Marble	33
	Dionysos Marble	38
	Versilles Marble	43
	Crema Vanilla	48
	Belgium Marble	53
	Alpes Marble	59
	Mosaic Marble	67
	Travertino Marble	71
	Epidavros Marble	82
	Patagonia Marble	89
	Metallica 2	97
	Neutral	101
	Stone Age	117
	Lava Stone	121
	Pag Stone	127

	Savoia Marble	133
	Tibet Stone	139
	Florence Marble	145
	Olympos Stone	151
	Brasilian Stone	157
	Chambord Dry Stone	163
	Montreal Marble	175
	Pulpis Marble	181
	Ecwood	187
	Cotto	201
	Mix Marble Pave	205
	Amazonio Marble	209
	Red Imperial Marble	215
	Emperor Marble	221
	Marquina Marble	227
	Premium Marquina Marble	232
	Hygienic & Technical	239

Candia[®]

Fascino Italiano

PENTELIKON MARBLE SUPER WHITE

Spessore/ Thickness

9mm/ 8,5mm

Formati/ Sizes

100x100 - 39.19"x39.19" Rett.

60x120 – 24"x48" Rett.

60x60 – 24"x24" Rett.

30X90 – 12"x36" Rett

Finiture/ Finishing

Mat

Super Polished




PENTELIKON MARBLE SUPER WHITE IN GLAZED PORCELAIN

3 formati / sizes

1 spessore / thickness


9 mm



100x100 – "39,37 x39,37" rett
Super Polished
Mat



60x120 - 24"x48" rett.
Super Polished
Mat



60x60 - 24"x24" rett.
Super Polished
Mat

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

ANTI-SLIP BOARD MARBLE 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1
Ice White no. 21




PENTELIKON MARBLE SUPER WHITE IN WALL TILE

1 formati / sizes

1 spessore / thickness

8,5 mm



30x90 - 12"x36" rett.
Super Polished
Mat

2 decoro / decor



30x90 - 12"x36 rett.
Blum
Mat



30x90 - 12"x36 rett.
Line
Super Polished

Immerse yourself in the allure of
PENTELIKON MARBLE SUPER WHITE
which evoke the pristine beaches, charming villages, and azure waters
that have made the Greek Islands a beloved destination for travelers worldwide.
Each tile in our range has been meticulously crafted to bring the essence of this
enchanted archipelago into your living spaces.



CARRARA MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

60x120 – 24"x48" Rett.

Finiture/ Finishing

Super Polished

Mat



aesthetic adaptation



Carrara is a town and comune in Tuscany, in central Italy, of the province of Massa and Carrara, and notable for the white or blue-grey marble quarried there. It is on the Carrione River, some 100 kilometres (62 mi) west-northwest of Florence. Its motto is Latin: "FORTITUDO MEA IN ROTA" ("My strength is in the wheel"), a reference firstly to the marble shipping industry from Roman times onwards.



A FACE




B FACE

CARRARA MARBLE


2 formati / sizes

1 spessore / thickness

9 mm



60x60 - 24"x24" rett.
Super Polished
Mat



60x120 - 24"x48" rett.
Super Polished
Mat

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

ANTI-SLIP BOARD MARBLE 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1
Ice White no. 21



CALACATTA VIOLA MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

60x120 – 24"x48" Rett.

Finiture/ Finishing

Super Polished

Mat





aesthetic adaptation

Calacatta Viola marble emerges from the heart of the Carrara region, nestled amidst the majestic peaks of the Apuan Alps in Tuscany, Italy. The aesthetic adaptation often focuses on translating the elegance, natural beauty, and timeless quality of marble into modern or classic tile designs.



A FACE




B FACE

CALACATTA VIOLA MARBLE


2 formati / sizes

1 spessore / thickness

9 mm



60x60 - 24"x24" rett.
Slate Mat



60x120 - 24"x48" rett.
Super Polished

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

Grout color: White no. 1
Ice White no. 21



NAXOS MARBLE

Spessore/ Thickness
9 mm

Formati/ Sizes
60x60 – 24"x24" Rett.
60x120 – 24"x48" Rett.

Finiture/ Finishing
Super Polished
Mat



The image shows the Temple of Apollo on the island of Naxos, Greece. Two large, weathered marble columns stand prominently, framing a view of the sea and distant mountains under a dramatic, sunset-colored sky. The foreground is filled with various stone blocks and fragments of the temple's structure.

aesthetic adaptation

The famous marble quarries of Naxos, located in the Cyclades islands of Greece. The area between Melanes and Kinidaros has been a renowned source of high-quality marble since ancient times. Naxos marble is particularly noted for its white and semi-translucent qualities, often with a slightly crystalline texture, making it highly prized in sculpture and architecture throughout history.




NAXOS MARBLE

2 formati / sizes

1 spessore / thickness

9 mm




60x60 - 24"x24" rett.
Slate Mat



60x120 - 24"x48" rett.
Super Polished

Mat surface
Resistenza allo scivolamento / slip resistance **R9**

Grout color: White no. 1
Ice White no. 21



Naxos Marble

renowned for its exceptional quality and beauty, has been cherished since ancient times.

This exquisite stone stands out for its pure white color and subtle, delicate veining. Its luminescent quality gives it a unique glow that has inspired artists and architects for centuries.



DIONYSOS MARBLE

Spessore/ Thickness

8,8-9 mm

Formati/ Sizes

60x120 – 24"x48" Rett.

Finiture / Finishing

Mat

Super Polished



aesthetic adaptation



The Dionysos marble, scientifically termed 'metamorphosed limestone', harvested from the mountain slope, creating a striking cut-cheese-like pattern of colossal scale. This marble is the calcite white marble famous for their world class quality.



A FACE



B FACE

DIONYSOS MARBLE

1 formati / sizes

1 spessore / thickness

8,8-9 mm



60x120 - 24"x48" rett.

Super Polished

Mat

Mat surface

Resistenza allo scivolamento / slip resistance **R10**

ANTI-SLIP BOARD MARBLE 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1
Ice White no. 21



VERSAILLES MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes

100x100 – "39,37 x39,37" Rett.

Finiture / Finishing

Super Polished

Mat





aesthetic adaptation


While Versailles Marble is associated with the French aesthetic and design of the Versailles Palace and surrounding areas. Its beautiful veining and classic pattern inspire architectural designs.

A horizontal strip showing a marble texture with light beige and cream tones, accented by dark grey and black veins.


MAT

A horizontal strip showing a marble texture with light beige and cream tones, accented by dark grey and black veins.

SUPER POLISHED

A solid black horizontal bar.

MAT

A solid black horizontal bar.

SUPER POLISHED

VERSAILLES MARBLE

1 formati / sizes


1 spessore / thickness

9 mm




100x100 – "39,37 x39,37" rett.
Super Polished
Mat

combinations




100x100 – "39,37 x39,37" rett.
Pentelikon Marble Super White
Super Polished
Mat



100x100 – "39,37 x39,37" rett.
Hygienic & Technical Black
Super Polished
Mat

Grout color: White no. 1
Ice White no. 21



CREMA VANILLA MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

60x120 – 24"x48" Rett.

Finiture/ Finishing

Super Polished



aesthetic adaptation



Crema vaniglia marble is a type of natural stone, specifically a marble characterized by its creamy white to beige color with veins of darker hues, often gold or brown. The origin of crema vaniglia marble typically traces back to quarries in countries known for high-quality marble production, such as Italy, and Spain.




Repetition of 12 faces

CREMA VANILLA MARBLE

2 formati / sizes

1 spessore / thickness

9 mm



60x60 - 24"x24" rett.
Super Polished



60x120 - 24"x48" rett.
Super Polished

Grout color: Vanilla no. 29



BELGIUM MARBLE

Spessore/ Thickness
8,5-8,7mm

Formati/ Sizes
60x60 – 24"x24" Rett.

Finiture/ Finishing
Super Polished





aesthetic adaptation

Belgian Marble refers to a type of limestone extracted primarily from quarries in Wallonia, the southern region of Belgium. Known for its dense, fine grain and elegant appearance, Belgian marble has been prized for centuries for its beauty and versatility in architectural and decorative applications.

A FACE

B FACE





C FACE

D FACE

BELGIUM MARBLE

1 formati / sizes



60x60 - 24"x24" rett.
Super Polished


1 spessore / thickness

8,5-8,7 mm


combinations



60x60 - 24"x24" rett.
Mosaic Marble
Mat




60x120 - 24"x48" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x60 - 24"x24" rett.
Pentelikon Marble Super White
Super Polished
Mat

Grout color: White no. 1
Ice White no. 21



ALPES MARBLE

Spessore/ Thickness
8,8-9 mm

Formati/ Sizes
60x120 – 24"x48" Rett.

Finiture/ Finishing Super
Polished
Mat







aesthetic adaptation

The natural elegance and timeless beauty of the Apuan Alps marble, renowned for its fine white and soft grey tones. Designed to evoke the grandeur of nature and centuries-old craftsmanship, the collection reimagines the iconic marble textures in a contemporary format, suitable for modern interiors.



A FACE




B FACE

A FACE

C FACE

B FACE

D FACE




ALPES MARBLE

1 formati / sizes

1 spessore / thickness

8,8-9 mm



60x120 - 24"x48" rett.

Super Polished

Mat

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

ANTI-SLIP BOARD MARBLE 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1
Ice White no. 21



ALPES MARBLE

combinations




60x60 - 24"x24" rett.
Mosaic Marble
Mat



60x60 - 24"x24" rett. Mat, R11 , Super Polished
60x120 - 24"x48" rett. Mat, R11 , Super Polished
Neutral Minimal



60x120 - 24"x48" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x60 - 24"x24" rett.
Pentelikon Marble Super White
Super Polished
Mat

MOSAIC MARBLE

Spessore/ Thickness
8,5-8,7 mm

Formati/ Sizes
60x60 – 24"x24" Rett.

Finiture/ Finishing
Mat








Repetition of 4 faces

MOSAIC MARBLE

1 formati / sizes



60x60 - 24"x24" rett.
Mat

1 spessore / thickness

8,5-8,7 mm

Resistenza allo scivolamento / slip resistance **R10+**

Grout color: Dark Grey no. 4



TRAVERTINO MARBLE

Spessore/ Thickness

8,5-8,7 mm

8,8-9 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

60x120 – 24"x48" Rett.

Finiture/ Finishing

Mat

Super Polished



aesthetic adaptation



Travertino Marble, commonly known as Travertine, has been used since ancient times, with significant historical quarries located in: Italy: The most famous source is Tivoli, near Rome, which supplied stone for iconic structures such as the Colosseum and St. Peter's Basilica.

It typically features a range of warm, neutral tones, from creamy beige and golden hues to light browns, with occasional hints of red or terracotta. The colors can vary depending on the exact quarry and the mineral content.



The smooth, glossy finish of our tiles exudes luxury. They not only capture the essence of opulence but are also easy to clean and maintain, making them an ideal choice for kitchens, bathrooms, and beyond.

Let your imagination run wild as you explore the creative potential of these marble tiles. These tiles are a canvas for your interior design dreams, and the results are nothing short of breathtaking.



PISA TRAVERTINO MARBLE

60x60.
Super Polished

Design 1

Repetition of 2 faces



Design 2

Repetition of 4 faces

A FACE

B FACE



TRAVERTINO CREMA MARBLE

60x120.
Mat

C FACE



D FACE





Repetition of 4 faces



TRAVERTINO NOCE MARBLE

60x120.
Mat


AVAILABLE FACES



Repetition of 3 faces

TRAVERTINO MARBLE

2 formati / sizes




60x120 - 24"x48" rett.
Mat

1 spessore / thickness

60X60 8,5-8,7 mm


60X120 8,8--9 mm



60x60 - 24"x24" rett.
Super Polished

Grout color:

Vanilla no. 29



Dark Grey no. 4



EPIDAVROS MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes


100x100 – "39,37 x39,37" Rett.

Finiture / Finishing

Mat


Super Polished



A black and white photograph of a rocky landscape. In the foreground, there are large, jagged, and textured rock formations. In the background, there are several dark, silhouetted trees against a sky filled with scattered, light-colored clouds. The overall scene is rugged and natural.

aesthetic adaptation

Epidavros marble originates from the Peloponnese region in Greece, specifically near the ancient site of Epidauros. This marble, often associated with the sanctuary of Asclepius—a renowned healing and religious center of ancient Greece—was historically quarried in the surrounding area. The region is known for its rich geological formations, and the marble from Epidauros is prized for its quality and aesthetic appeal.



A sleek and sophisticated look with **Epidauros marble**. It offers a luxurious look and feel, and can instantly transform the look of any room.



EPIDAVROS MARBLE RED LINE






EPIDAVROS MARBLE BROWN

EPIDAVROS MARBLE


1 formati / sizes




100x100 – "39,37 x39,37" rett.
Super Polished
Mat

1 spessore / thickness

9 mm



combinations



60x60 - 24"x24" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x120 - 24"x48" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x60 - 24"x24" rett.
Neutral Minimal
Super Polished
Mat

Grout color: White no. 1
Ice White no. 21



PATAGONIA MARBLE

Spessore/ Thickness
8,8-9 mm

Formati/ Sizes
60x120 – 24"x48" Rett.

Finiture/ Finishing
Super Polished





aesthetic adaptation

Patagonia Marble is a luxurious and visually striking natural stone that originates from Brazil. Patagonia Quartzite features a dramatic and unique appearance, characterized by: A mix of translucent white, beige, and golden tones. Bold patterns with dark veins, gray accents, and sometimes even black crystalline areas.

A FACE



B FACE



C FACE



D FACE





match tiles




60x120 - 24"x48" rett.
Travertino Crema
Mat
(4 faces)

PATAGONIA MARBLE

1 formati / sizes

1 spessore / thickness

8,8-9 mm



60x120 - 24"x48" rett.
Super Polished

Grout color: Vanilla no. 29



METALLICA 2


Spessore/ Thickness
9 mm

Formati/ Sizes
60x120 – 24"x48" Rett.


Finiture/ Finishing
Mat



A FACE




B FACE



C FACE

D FACE



METALLICA 2

1 formati / sizes

1 spessore / thickness

9 mm



60x120 - 24"x48" rett.
Mat


Resistenza allo scivolamento / slip resistance **R9**

ANTI-SLIP BOARD BEIGE 20x120 - 24"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1
Ice White no. 21
Vanilla no. 29



NEUTRAL

Spessore/ Thickness
9 mm

Formati/ Sizes
30x60 - 12"x24" Rett.
60x60 - 24"x24" Rett.
60x120 - 24"x48" Rett.

Finiture/ Finishing
Mat
Super Polished



ice

perla

beige

taupe

grigio

grafito

minimal

7 colori / colors

SUPER GLOSSY

MAT R9


MAT R11



MAT ROCK R10

MAT SLATE R11


5
finishes

60x60, 60x120 fossile - R9, R11 available colors





evan ice



evan beige





evan
minimal

60x120 slate - R11 available colors

minimal
repetition of 3 faces



perla



beige

perla
repetition of 8 faces



beige

mosaic 60x120 available colors

beige
repetition of 5 faces

grigio
repetition of 5 faces

60x60 butterfly




repetition of 20 faces

NEUTRAL



COLORS	SIZES	FINISHES	SAFE STYSTEM
Ice	60x60	mat	R9
	60x60 evan	mat	R9/R11
	60x120	mat	R9
	60X120 evan	mat	R9/ R11
Perla	30x60	mat	R9
	30x60 rock	mat	R10
	60X60	mat	R9/ R11
	60X60	super polished	
	60x120	mat	R9/ R11
	60x120	super polished	
	60X120 slate	mat	R11
Beige	30x60	mat	R9
	30x60 rock	mat	R10
	60X60	mat	R9/ R11
	60X60 evan	mat	R9/R11
	60X60	super polished	
	60x120	mat	R9/ R11
	60x120	super polished	
	60x120 mosaic	mat	R9
	60x120 slate	mat	R11
	60X120 evan	mat	R9/ R11

NEUTRAL




COLORS	SIZES	FINISHES	SAFE STYSTEM
Taupe	30x60	mat	R9
	60x60	mat	R9
	60x120	mat	R9
Grigio	30x60	mat	R9
	60x60	mat	R9
	60x120	mat	R9
	60x120 mosaic	mat	R9
Grafito	30x60	mat	R9
	60x60	mat	R9/ R11
	60x120	mat	R9
Minimal	30x60	mat	R9
	60X60	mat	R9/ R11
	60X60	super polished	
	60x60 evan	mat	R9/ R11
	60x120	mat	R9/ R11
	60x120	super polished	
	60X120 evan	mat	R9/ R11
	60X120 slate	mat	R11

NEUTRAL


3 formati / sizes

1 spessore / thickness

9 mm



60x120 - 24"x48" rett.
Mat
Super polished



60x60 - 24"x24" rett.
Mat
Super polished



30x60 - 12"x24" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9/ R11**

Grout color:

Vanilla no. 29

Ivory no. 9

Light Grey no. 3


Grey Arzan no. 7

Dark Grey no. 4



NEUTRAL

2 mosaico / mosaics



beige mosaics
60x120 mat R9



grigio mosaics
60x120 mat R9

1 anti-slip boards




Anti-slip board beige
20x120 - 8"x48" rett.




Anti-slip board grigio
20x120 - 8"x48" rett.

Resistenza allo scivolamento / slip
resistance R11

3 accessori/ accessories



ice evan
60x60, 60x120 mat R9/ R11



beige evan
60x60, 60x120 mat R9/ R11



minimal evan
60x60, 60x120 mat R9/ R11

1 decori / decor



Butterfly
60x60 mat R9

The Better Tile Experience - all surrounding us
vibrate. To stimulate the senses, to produce feelings,
to release memoirs...

Add a unique ambiance to any space with Neutral,
the ideal choice for contemporary, minimalist
environments. Its effect is very versatile and can be
used in both residential and commercial settings.

STONE AGE

Spessore/ Thickness
8,8-9 mm

Formati/ Sizes
60x120 – 24"x48" Rett.

Finiture/ Finishing
Mat



A FACE

B FACE



Stone Age Light

A FACE

B FACE



Stone Age

STONE AGE

1 formati / sizes



60x120 - 24"x48" rett.
Mat

2 colori / colors

1 spessore / thickness

8,8-9 mm

Resistenza allo scivolamento / slip resistance **R10+**

ANTI-SLIP BOARD BEIGE 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: Vanilla no. 29
Moka no. 26



LAVA STONE

Spessore/ Thickness
8,5-8,7 mm

Formati/ Sizes
60x60 – 24"x24" Rett.

Finiture/ Finishing
Mat





aesthetic adaptation

Lava stone, also known as basalt or volcanic stone, is a natural stone formed from the solidification of molten lava during volcanic eruptions. It typically has a rough, porous texture with a dark, often black or gray color.

A FACE



B FACE





C FACE


D FACE

L A V A S T O N E

1 formati / sizes

1 spessore / thickness

8,5-8,7 mm



60x60 - 24"x24" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9**

Grout color: Dark Grey no. 4



PAG STONE

Spessore/ Thickness
8,5-8,7 mm

Formati/ Sizes
60x60 – 24"x24" Rett.

Finiture/ Finishing
Mat





aesthetic adaptation

Pag is the fifth-largest island of the Croatian coast and the one with the longest coastline.

The southwestern coast of the island is low (including the Pag Bay with the large Caska cove), and the northwestern is steep and high (including Stara Novalja Bay). Most of the island is rocky; smaller areas are covered with Mediterranean shrubs. The southeast of the island contains karst lakes Velo Blato and Malo Blato.






Repetition of 6 faces

P A G S T O N E

1 formati / sizes

1 spessore / thickness

8,5-8,7 mm



60x60 - 24"x24" rett.

Mat

Resistenza allo scivolamento / slip resistance **R10+**

Grout color: Dark Grey no. 4



SAVOIA MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

60x120 – 24"x48" Rett.

Finiture/ Finishing

Super Polished

Mat





aesthetic adaptation

Blue Savoy Marble is a stunning natural stone known for its captivating blue-gray coloration and intricate veining patterns. Quarried predominantly in Italy, this marble variety offers a unique and luxurious aesthetic that can elevate any space.

A FACE

B FACE



C FACE

D FACE




SAVOIA MARBLE


2 formati / sizes

1 spessore / thickness

9 mm



60x60 - 24"x24" rett.
Slate Mat



60x120 - 24"x48" rett.
Super Polished

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

Grout color: White no. 1
Ice White no. 21



TIBET STONE GREY LIGHT

Spessore/ Thickness
9 mm

Formati/ Sizes
60x120 – 24"x48" Rett.

Finiture/ Finishing
Mat





aesthetic adaptation

Tibet Stone is quarried from regions in or near the Tibetan Plateau, which is rich in metamorphic and igneous rocks due to the region's unique geological history.

A FACE



B FACE



C FACE

D FACE




TIBET STONE GREY LIGHT

1 formati / sizes

1 spessore / thickness

8,8-9 mm




60x120 - 24"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R10+**

ANTI-SLIP BOARD



MARBLE 20x120 - 8"x48" rett.



GREY 20x120 - 8"x48" rett.

Resistenza allo scivolamento / slip resistance **R11**

Grout color: White no. 1

Dark Grey no. 4



FLORENCE MARBLE


Spessore/ Thickness
8,8-9 mm

Formati/ Sizes
60x120 – 24"x48" Rett.

Finiture/ Finishing
Mat








aesthetic adaptation

Florence Marble is a type of marble with certain aesthetic characteristics, such as rich veining or a warm, luxurious appearance that may evoke the elegance of the Florentine Renaissance style.

A FACE

B FACE



C FACE



D FACE



FLORENCE MARBLE

1 formati / sizes

1 spessore / thickness

8,8-9 mm




60x120 - 24"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9**

Grout color:

White no. 1
Grey Light no. 3
Grey Arzan no.7



OLYMPOS STONE


Spessore/ Thickness
8,8-9 mm

Formati/ Sizes
60x120 – 24"x48" Rett.

Finiture/ Finishing
Mat







aesthetic adaptation

Olympos Stone is inspired by the grandeur and historical significance of Mount Olympus in Greece, the mythical home of the gods in ancient Greek mythology. Its varieties ranging from grey brown and crystalline to richly veined stones.

A FACE



B FACE



C FACE



D FACE




OLYMPOS STONE

1 formati / sizes

1 spessore / thickness

8,8-9 mm




60x120 - 24"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R10+**

ANTI-SLIP BOARD




BEIGE 20x120 - 8"x48" rett.



GREY 20x120 - 8"x48" rett.

Resistenza allo scivolamento / slip resistance **R11**

Grout color: Vanilla no. 29
Grey Light no. 3
Grey Arzan no.7



BRASILIAN STONE

Spessore/ Thickness
8,8-9 mm 60x120

Formati/ Sizes
60x120 – 24"x48" Rett.

Finiture/ Finishing
Mat







aesthetic adaptation

The extraordinary range of natural stones sourced from Brazil, a country renowned worldwide for its rich geological diversity. Brazilian stones are celebrated for their vibrant colors, unique patterns, and exceptional quality, making them a preferred choice for architects and designers around the globe.

A FACE



B FACE



Brasilian Stone Grey

A FACE

B FACE




Brasilian Stone Light

BRASILIAN STONE

1 formati / sizes

1 spessore / thickness


8,8-9 mm 60x120



60x120 - 24"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R10+**

ANTI-SLIP BOARD GREY 20x120 - 8"x48" rett.



Resistenza allo scivolamento / slip resistance **R11**

Grout color: Dark Grey no. 4



chambord dry stone

Spessore/ Thickness
9 mm

Formati/ Sizes
30x60 - 12"x24" Rett.
60x60 - 24"x24" Rett.
60x120 - 24"x48" Rett.

Finiture/ Finishing
Mat



The charm of the stone so hard, varied,
radiating and foreboding of eternity. With a
thousand year old tradition, the stone
represents the solidity and strength of the
architecture but also the beauty that defies time.
As always, the birth of architecture man has
used the stone to build palaces and places of
worship and to create works of art that resisted
the wear and tear of inexorable time.













Color Sand
30x60 + 60x60 + 60x120



Color Cement
30x60 + 60x60 + 60x120




Color Carbon
30x60 + 60x60 + 60x120

chambord dry stone


3 formati / sizes

1 spessore / thickness

9 mm



60x120 - 24"x48" rett.
Mat



60x60 - 24"x24" rett.
Mat




30x60 - 12"x24" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9**


Grout color: Vanilla no. 29
Dark Grey no. 4
Black no. 2




schemi di posa/ laying sketches




60x120 - 24"x48"	56%
60x60 - 24"x24"	22%
30x60 - 12"x24"	22%



60x120 - 24"x48"	62,5%
60x60 - 24"x24"	25,5%
30x60 - 12"x24"	12%



60x120 - 24"x48"	70%
60x60 - 24"x24"	15%
30x60 - 12"x24"	15%



60x120 - 24"x48"	56%
60x60 - 24"x24"	22%
30x60 - 12"x24"	22%

MONTREAL MARBLE

Spessore/ Thickness
8,5-8,7 mm

Formati/ Sizes
60x60 – 24"x24" Rett.

Finiture/ Finishing
Super Polished







aesthetic adaptation

Mont marble typically refers to marble from the regions around Montreal, Canada. It is known as its beautiful veining in grey color palette. It showcases a soft background and dark streaks as well as lighter shades that form intricate patterns.

A FACE



B FACE





C FACE



D FACE

MONTREAL MARBLE

1 formati / sizes



60x60 - 24"x24" rett.
Super Polished

1 spessore / thickness

8,5-8,7 mm

combinations



60x60 - 24"x24" rett.
Mosaic Marble
Mat

Grout color: Dark Grey no. 4



PULPIS MARBLE

Spessore/ Thickness
9 mm

Formati/ Sizes
60x60 – 24"x24" Rett.
60x120 – 24"x48" Rett.

Finiture/ Finishing
Super Polished
Mat





aesthetic adaptation

Pulpis Marble, also known as Dark Emperador Pulpis or simply Pulpis, is a distinctive and elegant marble that originates from Spain, specifically from the quarries near the town of Santa Magdalena de Pulpis in the province of Castellón.

A FACE

B FACE



C FACE



D FACE




PULPIS MARBLE

2 formati / sizes

1 spessore / thickness

9 mm



60x60 - 24"x24" rett.
Slate Mat



60x120 - 24"x48" rett.
Super Polished

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

Grout color:

Dark Brown no.12



ECOWOOD

Spessore/ Thickness
9 mm

Formati/ Sizes
20x120 8"X48" Rett.

Finiture/ Finishing
Mat



ECOWOOD
WHITE



ECOWOOD
LIGHT



ECOWOOD
GRIGIO



ECOWOOD
NOGAL



ECOWOOD
HONEY



ECOWOOD
CHERRY



ECOWOOD
WENGE



ECOWOOD
MINIMAL



ECOWOOD
BLACK







ECOWOOD WHITE

20x120 8"X48" rett.



ECOWOOD LIGHT

20x120 8"X48" rett.



ECOWOOD GRIGIO

20x120 8"X48" rett.



ECOWOOD MINIMAL

20x120 8"X48" rett.



ECOWOOD NOGAL

20x120 8"X48" rett.



ECOWOOD HONEY

20x120 8"X48" rett.



ECOWOOD CHERRY

20x120 8"X48" rett.



ECOWOOD WENGE

20x120 8"X48" rett.



ECOWOOD BLACK

20x120 8"X48" rett.

ECOWOOD

1 formati / sizes

1 spessore / thickness

9 mm



20x120 8"x48" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9**

ANTI-SLIP BOARD



BEIGE 20x120 - 8"x48" rett.




WENGE 20x120 - 8"x48" rett.

Resistenza allo scivolamento / slip resistance **R11**

Grout color:

Ivory no.9
Grey Light no. 3
Grey Arzan no.7
Beige no.8



Light Brown no. 11
Ceramic no. 16
Dark Brown no.12
Black no. 2



COTTO

Spessore/ Thickness
8,5-8,7 mm

Formati/ Sizes
60x60 – 24"x24" Rett.

Finiture/ Finishing
Mat








Repetition of 20 faces

C O T T O

1 formati / sizes

1 spessore / thickness

8,5-8,7 mm



60x60 - 24"x24" rett.
Mat

Resistenza allo scivolamento / slip resistance **R9**

Grout color: Καφέ σκούρο No.12




MIX MARBLE PAVE

Spessore/ Thickness
8,5-8,7 mm

Formati/ Sizes
60x60 – 24"x24" Rett.

Finiture/ Finishing
Super Polished








MIX MARBLE PAVE

1 formati / sizes



60x60 - 24"x24" rett.
Super Polished

1 spessore / thickness

8,5-8,7 mm

Grout color: Dark Grey no. 4



combinations



60x60 - 24"x24" rett.
Belgium Marble Super Polished



60x60 - 24"x24" rett.
Montreal Marble Super Polished



60x60 - 24"x24" rett.
Pisa Travertino Marble Super Polished

AMAZONIO MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

60x120 – 24"x48" Rett.


Finiture/ Finishing

Super Polished

Mat







Amazonia Marble originates from regions rich in exotic and unique natural stones, with its most notable quarries located in Brazil. Brazil is renowned for producing some of the world's most striking and colorful marbles, granites, and quartzites, thanks to its diverse geological formations. The distinctive green veining and patterns in Amazonia Marble are reflective of the lush, forested landscapes that inspire its name, evoking the vibrant and dynamic essence of the Amazon rainforest. The marble's unique aesthetic makes it a sought-after material in global markets, particularly for high-end architectural and design projects.

aesthetic adaptation



A FACE




B FACE

AMAZONIO MARBLE

2 formati / sizes

1 spessore / thickness

9 mm



60x60 - 24"x24" rett.
Slate Mat



60x120 - 24"x48" rett.
Super Polished

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

Grout color: Καφέ σκούρο No.12



RED IMPERIAL MARBLE

Spessore/ Thickness

9 mm

Formati/ Sizes

60x60 – 24"x24" Rett.

60x120 – 24"x48" Rett.

Finiture/ Finishing

Super Polished


Mat






aesthetic adaptation

Red Imperial Marble is a highly prized natural stone originating from the Liguria region in Italy, particularly from the area near the town of Levanto, which gives it its name. This marble is renowned for its deep, rich color and unique veining patterns, making it a favorite choice for sophisticated architectural and decorative applications.



A FACE




B FACE

RED IMPERIAL MARBLE


2 formati / sizes

1 spessore / thickness

9 mm



60x60 - 24"x24" rett.
Slate Mat



60x120 - 24"x48" rett.
Super Polished

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

Grout color:

Dark Brown no.12



EMPERATOR MARBLE

Spessore/ Thickness
9 mm

Formati/ Sizes
60x60 – 24"x24" Rett.
60x120 – 24"x48" Rett.


Finiture/ Finishing
Super Polished
Mat






aesthetic adaptation

Emperador marble is a stone product from southern Spain. The beauty of this marble is its brown crystalline background embellished with a dense network of beige, hazelnut, gray and light brown veins.



A FACE




B FACE

EMPERATOR MARBLE

2 formati / sizes

1 spessore / thickness

9 mm



60x60 - 24"x24" rett.
Slate Mat



60x120 - 24"x48" rett.
Super Polished

Mat surface

Resistenza allo scivolamento / slip resistance **R9**

Grout color:

Black no. 2



MARQUINA MARBLE

Spessore/ Thickness

9,3-9,5 mm

Formati/ Sizes

60x120 – 24"x48" Rett.

Finiture/ Finishing

Mat

Super Polished



aesthetic adaptation



Mar marble, also known as "Nero Marquina" or "Marquina Black Marble," originates from the Basque region of Spain, specifically near the town of Markina-Xemein. It is highly valued for its distinctive appearance and durability. Marquina marble is characterized by its deep black background with striking white veining. The contrast creates a dramatic effect, making it popular in various design applications.

A FACE

B FACE

C FACE

D FACE



MARQUINA MARBLE

1 formati / sizes

1 spessore / thickness

9,3-9,5 mm



60x120 - 24"x48" rett.
Super Polished
Mat

Mat surface
Resistenza allo scivolamento / slip resistance **R9**

Grout color:

Black no. 2




MARQUINA MARBLE

combinations




60x60 - 24"x24" rett.
Mosaic Marble
Mat



60x60 - 24"x24" rett.
Hygienic & Technical Black
Super Polished
Mat



60x120 - 24"x48" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x60 - 24"x24" rett.
Pentelikon Marble Super White
Super Polished
Mat

PREMIUM MARQUINA MARBLE

Spessore/ Thickness

9mm

Formati/ Sizes


60x120 – 24"x48" Rett.

Finiture/ Finishing

Super Polished



aesthetic adaptation



Mar marble, also known as "Nero Marquina" or "Marquina Black Marble," originates from the Basque region of Spain, specifically near the town of Markina-Xemein. It is highly valued for its distinctive appearance and durability. Marquina marble is characterized by its deep black background with striking white veining. The contrast creates a dramatic effect, making it popular in various design applications.

A FACE

B FACE



C FACE

D FACE



PREMIUM MARQUINA MARBLE

1 formati / sizes

1 spessore / thickness

9 mm



60x120 - 24"x48" rett.
Premium Marquina Marble
Super Polished

Grout color:

Black no. 2




PREMIUM MARQUINA MARBLE

combinations




60x60 - 24"x24" rett.
Mosaic Marble
Mat



60x60 - 24"x24" rett.
Hygienic & Technical Black
Super Polished
Mat



60x120 - 24"x48" rett.
Pentelikon Marble Super White
Super Polished
Mat



60x60 - 24"x24" rett.
Pentelikon Marble Super White
Super Polished
Mat

Premium Marquina Marble tiles embody timeless elegance, sophistication, and versatility. With their striking black and white appearance and distinctive veining, these tiles are sure to make a lasting impression in any space. Whether you're renovating your home or working on a commercial project, these tiles are an excellent choice to elevate the aesthetic appeal of any interior.

HYGIENIC & TECHNICAL

Spessore/ Thickness
9 mm

Formati/ Sizes
60x60 – 24"x24" Rett.

Finiture / Finishing
Super Polished
Mat



HYGIENIC & TECHNICAL

THIS COLLECTION HAS USHERED IN A
NEW ERA OF DESIGN AND
ARCHITECTURE, BLENDING
AESTHETICS AND FUNCTIONALITY
SEAMLESSLY.





HIGH DURABILITY

WITH THIS UNIQUE QUALITY MAKES
IT A PREFERRED CHOICE FOR HIGH
TRAFFIC AREA LIKE SHOPPING
MALLS, PLAYGROUND, ETC.

ANTI BACTERIA

THESE TILES ARE RESISTANT TO STAINS, CHEMICALS, AND MOISTURE, MAKING THEM IDEAL FOR BATHROOMS, KITCHENS, AND OTHER AREAS PRONE TO SPILLS AND MOISTURE EXPOSURE.






AESTHETICS


THE DESIGN OF THESE TILES WITH BOTH MAT AND
SUPER POLISEHD SURFACES, THIS COLLECTION
ALLOWS DESIGNERS TO CREATE UNIQUE AND
CAPTIVATING SPACES.




hygienic & technical - beige color in mat & super polished surfaces



hygienic & technical - grey color in mat & super polished surfaces



hygienic & technical- black color in mat & super polished surfaces




pentelikon marble super white 60x60 in mat & super polished surfaces



hygienic & technical- salt & pepper color mat surface

HYGIENIC & TECHNICAL

1 formati / sizes




60x60 - 24"x24" rett.
Super Polished
Mat

Mat surface
Resistenza allo scivolamento / slip resistance **R9**


1 spessore / thickness

9 mm


Grout color: White no. 1



Ice White no. 21



Vanilla no. 29



Dark Grey no. 4



Black no. 2



High Tech R&D in ceramic tile production is revolutionizing the industry. Innovations in materials science and manufacturing processes are leading to the creation of ceramic tiles that are not only aesthetically stunning but also highly durable and environmentally friendly. Advanced R&D efforts are focused on developing cutting-edge glazing techniques, digital printing technologies, and sustainable production methods. These breakthroughs are not only enhancing the visual appeal of ceramic tiles but also improving their resistance to wear and tear, making them ideal for a wide range of applications, from residential interiors to commercial spaces.

CARATTERISTICHE TECNICHE/ TECHNICAL FEATURES

Hygienic & Technical

INFORMAZIONI TECNICHE TECHNICAL FEATURES	NORME ISO ISO NORM	VALORE PRESCRITTO DALLE NORME INTERNATION. STD ISO 13006/EN 176 GROUP Bla	VALORI CANDIA VALUES CANDIA
---	-----------------------	--	--------------------------------

REGULATORY PROPERTIES

Deviation In Length	ISO-10545-2	±0.5%	±0.20%
Deviation in Thickness	ISO-10545-2	±5%	±4%
Straightness of Sides	ISO-10545-2	±0.5%	±0.10%
Rectangularity	ISO-10545-2	±0.5%	±0.20%
Surface Flatness	ISO-10545-2	±0.5%	±0.20%
Colour difference	ISO-10545-16	Unaltered	No change

STRUCTURAL PROPERTIES

Water Absorption	ISO-10545-3	<0.50%	<0.50%
Apparant density	DIN-51082	>2.00 g/cc	>2.28 g/cc

MASSIVE MECHANICAL PRIOPERTIES

Modulus or rupture	ISO-10545-4	Min 35 N/mm2	Min 45 N/mm2
Breaking Strength	ISO-10545-4	>1300 N	>2000N
Impact Resistance	ISO-10545-5	As per Mfg.	Min 0.55

SURFACE MECHANICAL PROPERTIES

Mohs Hardness	EN-101	Min.6	7
Deep abrasion resistance	ISO-10545-6	Max.175 mm3	Max. 132 mm3
Surface abrasion resistance	ISO-10545-7	As per Mfg.	N. A.

THERMOHYDROMATIC PROPERTIES

Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Thermal expansion (COE)	ISO-10545-8	Max. 9.0x10	Max. 6.5x10
Crazing Resistance	ISO-10545-11	As Per Mfg.	N.A.

CHEMICAL PROPERTIES

Chemical Resistance	ISO-10545-13	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

SAFETY PROPERTIES

Slip resistance	ISO-10545-17	>0.40	>0.40
-----------------	--------------	-------	-------

CARATTERISTICHE TECNICHE/ TECHNICAL FEATURES

Ecowood

INFORMAZIONI TECNICHE TECHNICAL FEATURES	NORME ISO ISO NORM	VALORE PRESCRITTO DALLE NORME INTERNATIONAL STD 15622/2013 GROUP B 1 a	VALORI CANDIA VALUES CANDIA
---	-----------------------	---	--------------------------------

DIMENSION & SURFACE QUALITY

Deviation in length & width	IS-13630-1	'+/- 0.1%	0.1%
Deviation in thickness	IS-13630-1	+/- 5.0%	3.5%
Straightness in side	IS-13630-1	+/-0.1%	0.1%
Rectangularity	IS-13630-1	+/-0.1%	0.1%
Surface Flatness	IS-13630-1	+/- 0.5%	0.2%
Surface Quality	IS-13630-1	95% Free From Visible Defect	95%

PHYSICAL & THERMAL PROPERTIES

Water Absorption	IS-13630-2	0.05%	<0.05%
Modules of Rapture	IS-13630-6	38 N/MM2	35 N/MM^3
Flexural Breaking Strength	IS-13630-6	>1500 N	>1300N
Moisture Expansion	IS-13630-3	Nil	0.02%
Scratch Hardness (MOH's)	IS-13630-13	3.-4*	MIN-5
Resistance of Surface Abrasion	IS-13630-11	120 MM3	max. 140 Mm^3
Thermal Expansion	IS-13630-4	6 x 10^-6 k^-1	6 x 10^-6 k^-1
Thermal shock Resistance	IS-13630-5	10 Cycle Passed	min 10 cycle
Frost Resistance	IS-13630-10	No Damage	no damage
Bulk Density	IS-13630-2	2.3 gm/cc	> 2.2 gm/cc
Glossiness	glossmeter	>85%	as per mfg. norms
Impact Resistance	IS-13630-14	0.30 MIN	0.55 MIN

CHEMICAL PROPERTIES

Resistance of Staining	IS-13630-8	Class Min	Class Min
Household Chemicals	IS-13630-8	Class AA Min	Class AA Min
Acid Resistance	IS-13630-8	Resistance	Resistance

CARATTERISTICHE TECNICHE/ TECHNICAL FEATURES

Carrara Marble, Chambord Dry Stone, Crema Vanilla Marble, Epidavros Marble, Metallica 2, Neutral, Premium Marquina Marble, Pentelikon Marble Super White in Glazed Porcelain, Tibet Stone, Versailles Marble

INFORMAZIONI TECNICHE TECHNICAL FEATURES	NORME ISO ISO NORM	VALORE PRESCRITTO DALLE NORME INTERNATIONAL STD ISO 13006/EN 176 GROUP Bla	VALORI CANDIA VALUES CANDIA
---	-----------------------	---	--------------------------------

DIMENSION & SURFACE QUALITY

Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation in Thickness	ISO-10545-2	±5%	±3%
Straightness of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%

PHYSICAL & THERMAL PROPERTIES

Water Absorption	ISO-10545-3	<0.50%	<0.40%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	>35 N/mm2	>40N/mm2
Slip Resistance (Friction Coefficient)	ISO-10545-17	>0.4	4
Breaking Strength	ISO-10545-11	>1113 N	>1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PEI IV & V

CHEMICAL PROPERTIES

Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

CARATTERISTICHE TECNICHE/ TECHNICAL FEATURES

Alpes Marble, Belgium Marble, Brazilian Grey, Cotto, Dionysos Marble, Florence Marble, Lava Stone, Marquina Marble, Mix Marble Pave, Montreal Marble, Mosaic Marble, Olympos Stone, Pag Stone, Patagonia Marble, Travertino Marble, Stone Age

INFORMAZIONI TECNICHE TECHNICAL FEATURES	VALORE PRESCRITTO DALLE NORME STANDARD AS PER 15013006:2018/ EN14411 Gr.Bia	STANDARD AS PER IS 15622:2017 Gr.Bia	VALORI MEAN VALUE	NORME ISO ISO NORM
STRUCTURAL PROPERTIES				
Water Absorption	≤0.50%	≤0.080%	≤0.080%	ISO 10545-3/IS 13630-2
Bulk Density	As per Manufacturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/IS 13630-2
MASSIVE MECHANICAL PROPERTIES				
Modulus of Rupture	Min. 35.0 N/mm	Min. 35.0 N/mm	Min. 40.0 N/mm	SO 10545-4/IS 13630-6
Breaking Strength Thickness =7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 6000.0 N	ISO 10545-4/IS 13630-6
SURFACE MECHANICAL PROPERTIES				
MOHS Hardness#	As per Manufacturer	Min. 5	Polished Min 4*/ Satin & Posh Min 6	BS EN 15771/IS 13630-13
Surface Abrasion Resistance#	As per Manufacturer	Min.Class II	Polished Min II**/ Satin & Posh Min III	ISO 10545-7/IS 1363011
THERMAL HYGROMETRIC PROPERTIES				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/IS 13630-3
Thermal Expansion(COE) at 100C	As per Manufacturer	Max. 6.0 x 10-6	Max. 6.0 x 10-6	ISO 10545-8/IS 13630-4
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/IS 13630-5
Impact Resistance(COR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/IS 13630-14
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/IS 13630 10
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	4 Cycle	ISO 10545-11/IS 13630-9
CHEMICAL PROPERTIES				
Resistance to Staining Glazed	Min.Class 3	MinClass 1	Min.Class3/ Min.Class 1	ISO 10545-14/IS 13630-8
Resistance to Household Chemicals & Swimming Pool Salts Glazed	MinClass GB	MinClass AA	Min Class GB/ Min Class AA	ISO 10545-13/IS 13630-8
Resistance to Low Concentrate Acid and Alkalies Glazed	As per Manufacturer	As per Manufacturer	Min Class GLB****/ Min Class A****	ISO 150 10545 13/ IS 13630-8
Resistance to HighConcentrate Acid and Alkalies Glazed	As per Manufacturer	As per Manufacturer	Min Class GHB****/ Min Class A****	ISO 150-1054513/ IS 13630-8
SAFETY PROPERTIES				
Skid Resistance - (DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	Glossy≥PO,Satin,Posh≥PI	BS 7976-2
Slip Resistance -Satin/Posh (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	R9 to R10	DIN 51130
Lead and Cadmium Release	As per Manufacturer	N.A.	Does not yield Pb & Cd	150-1054515

CARATTERISTICHE TECNICHE/ TECHNICAL FEATURES

Pentelikon Marble Super White in Wall Tile

INFORMAZIONI TECNICHE TECHNICAL FEATURES	VALORE PRESCRITTO DALLE NORME INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	VALORI CANDIA VALUES CANDIA
DIMENSION & SURFACE QUALITY		
Deviation In Length	±0.5%	±0.4%
Deviation in Thickness	±5%	±3%
Straightness of Sides	±0.5%	±0.4%
Rectangularity	±0.6%	±0.4%
Surface Flatness	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES		
Water Absorption	>10%	>10%
Bending strengths	>220kgs/cm2	>220kgs/cm2
Chemical Resistance	Resistance to all alkalies (except hydro flouric Acid and it's compounds)	Resistance to all alkalies (except hydro flouric Acid and it's compounds)
Thermal Shock Resistance	10 cycles	10 cycles

TABELLA IMBALI/ PACKAGING

		SPESSORE THICKNESS	PCS/BOX	MQ/BOX	KG/BOX	BOX/PLT.	MQ/PLT.	KG/PLT.
20X120	MAT R9	9 mm	5	1,2	23,5	39	46,8	956,5
30X60	MAT R9	9 mm	5	0,9	18	60	54	1080
30x60	MAT R10	9 mm	6	1,08	22	66	71,28	1452
30x90 WALL	MAT R9	8,5 mm	4	1,08	18,5	63	68,04	1165
30x90 WALL	POLISHED	8,5 mm	4	1,08	18,5	63	68,04	1165
60X120	MAT R9	8,8-9 mm	2	1.44	28-29	34	48,96	993
60X120	MAT R10	8,8-9 mm	2	1.44	28-29	34	48,96	993
60X120	POLISHED	8,8-9 mm	2	1.44	28-29	34	48,96	993
60X120	MAT R9	9 mm	2	1,44	28,5	34	48,96	969
60X120	MAT R11	9 mm	2	1,44	27,6	34	48,96	938,4
60X120	POLISHED	9 mm	2	1,44	28,5	34	48,96	969
60x120 P. MARQUINA	POLISHED	9 mm	2	1,44	27,6	34	48,96	935
60X60	MAT R9	8,5-8,7mm	4	1.44	27-28	36	51,84	1014
60X60	MAT R10	8,5-8,7mm	4	1.44	27-28	36	51,84	1014
60X60	POLISHED	8,5-8,7mm	4	1.44	27-28	36	51,84	1014
60X60	MAT R9	9 mm	4	1,44	26,5	44	63,36	1166
60X60	MAT R11	8,5 mm	4	1,44	26,5	44	63,36	1166
60x60	POLISHED	9 mm	4	1,44	26,5	44	63,36	1166
60x60 S&P	MAT R9	9 mm	4	1,44	26,5	44	63,36	1166
60x60 HYGI. & TECH.	MAT R9	9 mm	4	1,44	28,5	44	63,36	1254
100X100	MAT R9	9 mm	2	2	40	28	56	1120
100X100	POLISHED	9 mm	2	2	40	28	56	1120

  ΕΘΝΙΚΟ ΚΕΝΤΡΟ ΕΡΕΥΝΑΣ ΦΥΣΙΚΩΝ ΕΠΙΣΤΗΜΩΝ «ΔΗΜΟΚΡΙΤΟΣ» Τ.Θ. 40037 / 15110 ΑΓΙΑ ΠΑΡΑΣΚΕΥΗ ΑΤΤΙΚΗΣ ΤΗΛΕΦΩΝΟ: 210-6503005 FAX: 210-6503050 ΕΚΕΦΕ "ΔΗΜΟΚΡΙΤΟΣ" ΙΝΣΤ. ΠΥΡΗΝΙΚΩΝ & ΡΑΔΙΟΛΟΓΙΚΩΝ ΕΠΙΣΤΗΜΩΝ & ΤΕΧΝΟΛΟΓΙΑΣ, ΕΝΕΡΓΕΙΑΣ & ΑΣΦΑΛΕΙΑΣ (Ι.Π.Ρ.Ε.Τ.Ε.Α.) ΕΡΓΑΣΤΗΡΙΟ ΡΑΔΙΕΝΕΡΓΕΙΑΣ ΠΕΡΙΒΑΛΛΟΝΤΟΣ Τ.Θ.: 60037 - Τ.Κ.: 15310 - ΑΓΙΑ ΠΑΡΑΣΚΕΥΗ ΑΤΤΙΚΗΣ Τηλέφωνο: 210-6503005 FAX: 210-6503050 ΠΛΗΡΟΦΟΡΙΕΣ: Κ.ΕΛΕΥΘΕΡΙΑΔΗΣ / Β.ΒΑΣΙΛΑΤΟΥ www: http://www.ipretea.demokritos.gr http://www.ipeta.demokritos.gr/eri/eri.html email: elefther@ipta.demokritos.gr, contact-eri@ipta.demokritos.gr	 ΔΟΚΙΜΕΣ Αρ.Πιστοποιητικού 447	Αγία Παρασκευή 24 Φεβ 2023 Α.Π. 260/0/ 2305
	ΠΡΟΣ: ΑΒΜ ΤΕΧΝΟΛΟΓΙΚΗ ΑΕ ΕΞΟΔΟΣ 4 ΑΣΠΡΟΠΥΡΓΟΣ Τ.Κ.:19300 ΤΗΛ: 2105596230 ΚΟΙΝ:	
Σχετικό σας: Σχετικό μας: 140/2023-457/10-02-2023		

ΠΙΣΤΟΠΟΙΗΤΙΚΟ ΜΕΤΡΗΣΗΣ ΡΑΔΙΕΝΕΡΓΕΙΑΣ ΔΕΙΓΜΑΤΩΝ

Ημερομηνία Δειγματοληψίας:	10 Φεβ 2023	Ημερομηνία Μέτρησης:	13/02/2023 και 21/02/2023
Προέλευση:	ΕΛΛΑΔΑ		
Προορισμός:			

ΠΕΡΙΓΡΑΦΗ ΔΕΙΓΜΑΤΩΝ

A.A ΕΚΕΦΕ "Δ"	Είδος Δείγματος κατά δήλωση της "ΑΒΜ ΤΕΧΝΟΛΟΓΙΚΗΣ Α.Ε."
233005	Πλάκα Candia
	Δείκτης συγκέντρωσης ενεργότητας: $I = C(Ra226)/300 + C(Th232)/200 + C(K40)/3000 < 0,89 \text{ Bq/kg}$
	$C(U238) = 31 \pm 19 \text{ Bq/kg}$, $C(Ra226) = 59,8 \pm 1,5 \text{ Bq/kg}$, $C(Th232) = 83,4 \pm 2,0 \text{ Bq/kg}$
	$C(K40) = 521 \pm 14 \text{ Bq/kg}$
	$Cs137 < 0,1 \text{ Bq/kg}$
	Κάτοχος δείγματος: ΑΒΜ ΤΕΧΝΟΛΟΓΙΚΗ Α.Ε.
Το δείγμα κρίνεται κατάλληλο για κατανάλωση από πλευράς ραδιενέργειας	
ΠΑΡΑΤΗΡΗΣΕΙΣ: Το δείγμα κρίνεται κατάλληλο για εμπορική, βιομηχανική και κατασκευαστική χρήση σύμφωνα με το Προεδρικό Διάταγμα υπ' αριθμόν 101 (Φ.Ε.Κ. Α' 194/20-11-2018) περί προσαρμογής της ελληνικής νομοθεσίας στην Οδηγία 2013/59/Ευρατόμ του Συμβουλίου, της 5ης Δεκεμβρίου 2013 (ΕΕ L13/17.1.2014), για τον καθορισμό βασικών πρατύπων ασφαλείας για την προστασία από τους κινδύνους που προκύπτουν από τις ιοντίζουσες ακτινοβολίες - Θεώρηση Κανονισμών Ακτινοπροστασίας. Δεν ανιχνεύθηκαν τεχνητά ισότοπα στο δείγμα.	

	Ο Αρμόδιος Δρ Κ.ΕΛΕΥΘΕΡΙΑΔΗΣ
--	--



Certificate of Compliance

This is to certify that

ABM TECH S.A.

ATTIKI AVENUE EXIT NO 4, ASPROPYRGOS ATHENS

has been independently assessed by IAB accreditation and is in compliance with the requirement of the standard

ISO 17721-1:2021

Quantitative determination of antibacterial activity of ceramic tile surfaces — Test methods — Part 1: Ceramic tile surfaces with incorporated antibacterial agents
For the following scope of activities

CANDIA FASCINO ITALIANO, PORCELAIN TILES, CERAMIC TILES, MATT AND POLISHED

Certificate Number: US-AMTC-25-08256130

To verify this certificate please visit at www.uscertifications.uk

Date of Certification
Issuance Date
1st Surveillance Due
2nd Surveillance Due
Re-Certificate Due

08TH MAY 2025
08TH MAY 2025
07TH MAY 2026
07TH MAY 2027
07TH MAY 2028



Authorized Signatory



CAB Address : Merry Terrace Woking, London FU21 3EH UK Validity of this certificate is subject to annual surveillance audits to be done successfully This certificate is the property of U.S. Certification and shall be returned immediately on request U.S. Certification is an independent Systems Products and Personal assessment Body, U.S. Certification is a accredited by IABCERT.US

note / notes

[illegible]

note / notes

[illegible]

Candia[®]

Fascino Italiano

Organization
&
High Tech RND

info@candiaceramica.it
www.candiaceramica.it